In re: Marsh et al. Serial No.: 10/820,186 Filed: April 7, 2004

Page 2 of 11

Listing of the Claims:

1. (Previously Presented) An article of furniture, comprising:

first and second confronting furniture components, wherein one of the first and second furniture components comprises a frame and the other of the first and second furniture components comprises a movable member connected with the frame and movable from an open position to a closed position; and

a device for protecting the first and second confronting furniture components, the device comprising:

a base member having opposite first and second faces, the first face adapted to contact the first furniture component, the base member having a cushioning projection extending outwardly from the second face of the base member and covering and defining a void within the base member, the projection adapted to contact the second furniture component as it confronts the first furniture component; and

a clip connected to the base member, the clip having a first member attached to one end portion of the base member and a second member attached to the first member, the base member, first member and second member defining a cavity within which one of the first or second furniture components is captured to affix the device thereto, wherein the device is formed as a unitary member and is entirely formed of a polymeric material.

2. - 3. (Canceled).

- 4. (Previously Presented) The article of furniture of Claim 1, wherein the projection has a convex portion extending outwardly from the second face of the base member and the base member has a planar portion opposite the convex portion across from the void.
- 5. (Previously Presented) A device for protecting first and second confronting furniture components, the device comprising:

In re: Marsh et al.

Serial No.: 10/820,186

Filed: April 7, 2004

Page 3 of 11

a base member having opposite first and second faces, the first face adapted to contact the first furniture component, the base member having a cushioning projection extending outwardly from the second face of the base member and covering and defining a void within the base member, the projection adapted to contact the second furniture component as it confronts the first furniture component, wherein the projection has a convex portion extending outwardly from the second face of the base member and a planar portion opposite the convex portion, and the planar portion of the projection has a thickness that is less than the thickness of the base member.

- 6. (Previously Presented) The article of furniture of Claim 4, wherein the convex portion of the projection has a thickness that is less than the thickness of the base member.
- 7. (Previously Presented) The article of furniture of Claim 1, wherein the cushioning projection is elongated in a direction generally perpendicular to the thickness of the base member.
- (Previously Presented) The article of furniture of Claim 1, wherein the cushioning 8. projection is generally semi-circular.
- 9. (Previously Presented) The article of furniture of Claim 1, wherein the cushioning projection comprises an opening at at least one end.
- 10. (Previously Presented) The article of furniture of Claim 1, wherein the cushioning projection is closed at both ends.
- 11. (Previously Presented) The article of furniture of Claim 1, wherein the cushioning projection has a thickness of between about .020 and about .090 inches.
 - 12. (Cancelled).

In re: Marsh et al. Serial No.: 10/820,186

Filed: April 7, 2004

Page 4 of 11

13. (Previously Presented) An article of furniture, comprising:

first and second confronting furniture components; and

a device for protecting the first and second confronting furniture components, the device comprising:

a base member having opposite first and second faces, the first face adapted to contact the first furniture component, the base member having a cushioning projection extending outwardly from the second face of the base member and covering and defining a void within the base member, the projection adapted to contact the second furniture component as it confronts the first furniture component, the base member having a planar portion extending away from the cushioning projection on opposite sides thereof; and

a clip connected to the base member, the clip having a first member attached to one end portion of the base member and a second member attached to the first member, the base member, first member and second member defining a cavity within which one of the first or second furniture components is captured to affix the device thereto, wherein the device is entirely formed of a single material.

14. (Previously Presented) The article of furniture of Claim 13, wherein the projection has a convex portion extending outwardly from the second face of the base member and the base member has a planar portion opposite the convex portion across from the void.